

DONALD T. DIFRANCESCO
Acting Governor

Department of Environmental Protection Land Use Regulation Program P.O. Box 439, Trenton, NJ 08625-0439 Fax # (609) 777-3656 www.state.nj.us/dep/landuse Robert C. Shinn, Jr. Commissioner

State of New Jersey
N.J. Department of Transportation
C/O Joseph Sweger
1035 Parkway Avenue, P.O. Box 600
Trenton, New Jersey 08625-0600

APR 10 2001

RE: Transition Area Waiver for Linear Development
File No.1436-00-0004.1
Applicant: New Jersey Dept. of Transportation
Project: Route I-80 & Howard Blvd. Park & Ride Facility
Route I-80 ROW and Block 70, Lot 1
Mt. Arlington Borough; Morris County
South Branch Raritan River Watershed; Raritan River Basin
Rockaway River Watershed; Passaic Basin

Dear Mr. Sweger:

This letter is in response to your request for a special activity transition area waiver to modify the standard transition area on the above referenced property for the realignment of the eastbound on-ramp to Route 80 and the regrading of an existing gravel service road pursuant to N.J.A.C. 7:7A-7.4(a)2.

The Land Use Regulation Program has determined that the freshwater wetlands present on or adjacent to the above referenced property are of exceptional and intermediate resource value. Pursuant to N.J.A.C. 7:7A-6, a standard transition area of 150 feet is required adjacent to exceptional value wetlands and 50 feet is required adjacent to intermediate value wetlands. The submitted plan proposes to modify this standard transition area through the means of a special activity transition area waiver.

Section 7:7A-7 of the Freshwater Wetlands Protection Act Rules establishes the framework under which the standard transition area may be modified if the Department determines that the modification will result in minimal environmental impact and that the modified transition area will continue to serve the purposes and functions set forth in N.J.A.C. 7:7A-6.1(a) and (b). In addition, the Department may only grant a waiver for construction of a linear development in a transition area if it is determined that there is no feasible alternative location for the linear development pursuant to N.J.A.C. 7:7A-7.4(c).

Based upon a review of the submitted information, the Department has determined that there is no feasible alternative location for the linear development. As a result, the Department approves of the proposed modified transition area boundary line as shown on the plan map entitled "New Jeresey Department of Transportation, Transition Area Waiver Plan, Route I-80 and Howard Boulevard Park & Ride Facility", dated December 2000, last revised March 20, 2001, and prepared by TAMS Consultants, Inc.

In addition to the standard conditions set forth in section 7:7A-7, the following special conditions must be met for the activity authorized under this transition area waiver. The transition area shall not be reduced to less than the distance as shown on the referenced plan.

The freshwater wetlands and transition area boundary line, as determined

Disturbance to the transition area shall not exceed 0.336 of an acre or 2. 14,640 square feet. Failure to comply with these conditions shall constitute a violation of the Freshwater Wetlands Protection Act (N.J.S.A 13:9B-1 et seg).

line(s) should be labelled with the above file number and the following note:

Waiver Conditions

Appeal of Decision

c:

Municipal Clerk

Municipal Construction Official

Mr. Joseph Sweger, NJDOT

1.

"Freshwater Wetlands/Transition Area Boundary line as approved by NJDEP" This determination does not affect your responsibility to obtain any local, State, or Federal permits which may be required. You are entitled to rely upon this waiver/boundary determination for a period of five years from the date of this letter pursuant to the Freshwater Wetlands Protection Act Rules, N.J.A.C. 7:7A-7.

this decision may request a hearing within 30 days of the decision date by writing to: New Jersey Department of Environmental Protection, Office of Legal Affairs, Attention: Adjudicatory Hearing Requests, P.O. Box 402, Trenton, NJ

In accordance with N.J.A.C. 7:7A-12.7, any person who is aggrieved by

in this letter, must be shown on any future site development plans.

08625-0402. This request must include a completed copy of the Administrative Hearing Request Checklist. If you have any questions regarding this letter, please contact Daniel P. Shinder of my staff at (609) 633-9277. Be sure to indicate the Program's file number in any communication.

> Sincerely, Godfrey, Supervisor Morris and Bergen Counties Region Bureau of Inland Regulation